

#### HANDHELD STRENGTH & ROM

Expansion Pack

### Technical Specifications



HARDWARE DIMENSIONS	
Size	153mm L x 50 mm W x 50 mm H / 6" L x 2" W x 2" H (excluding attachments)
Weight	400g/ 0.9lbs (excluding attachments)
SENSOR SPECIFICATIONS	
FORCE SENSOR SPECIFICATIONS	
Sensor type	Load cell
Sampling rate	1,200hz
Capacity	10,000N / 1,000kg / 2,200 lbs
Resolution	1 N
MOVEMENT SENSOR (IMU) SPECIFICATIONS	
Sensor type	9-Axis Inertial Measuring Unit (IMU): Accelerometer, Gyroscope and Magnetometer
Sampling rate	225hz
ELECTRONIC SPECIFICATIONS	
Power	Inbuilt 600mAh lithium-ion rechargeable battery
Battery life	10 hours active use (approx.)
Charging method	USB-C cable (supplied)
Connectivity	Bluetooth 5.0
SOFTWARE REQUIREMENTS	
iOS	
Compatible devices	All iOS mobile phones and tablets purchased after July 2017
Operating system	Minimum requirement – iOS 11
ANDROID	
Compatible devices	All Android mobile phones and tablets purchased after July 2014
Operating system	Minimum requirement - Android 5
ATTACHMENTS AND ACCESSOF	RIES
Attachments	Flat Pad, Curved Pad, Adjustable Strap, Ankle Strap, ROM Sleeve, Handle and 2x Carabiners
Accessories	Travel Case

IMTP Baseplate, IMTP Lifting Bar and 2x Carabiners

# **DYNAMO** PLUS

HANDHELD STRENGTH & ROM

## Technical Specifications



HARDWARE DIMENSION	
Size	134mm L x 53 mm W x 53 mm H / 5.2" L x 2" W x 2" H (excluding attachments)
Weight	300g / 0.7lbs (excluding attachments)
SENSOR SPECIFICATION	NS
FORCE SENSOR SPECIFICA	TIONS
Sensor type	Load cell
Sampling rate	225hz
Capacity	2000N / 200kg / 440 lbs tension -1000N / 100kg / 220 lbs compression
Resolution	1 N
MOVEMENT SENSOR (IMU)	SPECIFICATIONS
Sensor type	9-Axis Inertial Measuring Unit (IMU): Accelerometer, Gyroscope and Magnetometer
Sampling rate	225hz
ELECTRONIC SPECIFICA	ATIONS
Power	Inbuilt 600mAh lithium-ion rechargeable battery
Battery life	10 hours active use (approx.)
Charging method	USB-C cable (supplied)
Connectivity	Bluetooth 5.0
Screen	Inbuilt OLED display
SOFTWARE REQUIREMEN	NTS
iOS	
Compatible devices	All iOS mobile phones and tablets purchased after July 2017
Operating system	Minimum requirement – iOS 11
ANDROID	
Compatible devices	All Android mobile phones and tablets purchased after July 2014
Operating system	Minimum requirement - Android 5
ATTACHMENTS AND ACC	CESSORIES
Smart Attachments	Palm Pad, Flat Pad, Curved Pad, Tension Links and Grip Strength Attachment
Accessories	Adjustable ROM Strap, Ankle Attachment, Handle Attachment, Adjustable Strap Attachment, Carabiners and Travel Case

### **DYNAMO** LITE

HANDHELD STRENGTH & ROM

# Technical Specifications



HARDWARE DIMENSIONS	
Size	95mm L x 73 mm W x 42mm H / 3.7" L x 2.8" W x 1.6" H (excluding attachments)
Weight	250g / 0.55lbs (excluding attachments)

SENSOR SPECIFICATIONS	
FORCE SENSOR SPECIFICATIONS	
Sensor type	Load cell
Sampling rate	225hz
Capacity	1000N / 100kg / 220 lbs compression
Resolution	1 N
MOVEMENT SENSOR SPECIFICATIONS	
Sensor type	9-Axis Inertial Measuring Unit (IMU): Accelerometer, Gyroscope and Magnetometer
Sampling rate	225hz

ELECTRONIC SPECIFICATIONS	
Power	Inbuilt 600mAh lithium-ion rechargeable battery
Battery life	10 hours active use (approx.)
Charging method	USB-C cable (supplied)
Connectivity	Bluetooth 5.0

SOFTWARE REQUIREMENTS	
iOS	
Compatible devices	All iOS mobile phones and tablets purchased after July 2017
Operating system	Minimum requirement – iOS 11
ANDROID	
Compatible devices	All Android mobile phones and tablets purchased after July 2014
Operating system	Minimum requirement - Android 5

ACCESSORIES AND ATTACHMENTS		
Accessories	Silicone Pouch, 3 x Adjustable Sleeves (Small/ Medium/ Large), Strength Strap, Charging Cable and Carry Case	